



# INDEX MAPS.

## T. 5 N R. 1 W 2<sup>nd</sup> Mer.



## T. 6 N R. 1 W 2<sup>nd</sup> Mer.



The figures on the lines refer to the page.







T No 5 MR No 177 2<sup>nd</sup> Mer

80.00 Set a post for the cor to Sec 1. 6. 31. & 36. & cor  
to Town 5. 5. & 46. N<sup>o</sup> 177. & 1 E. 2<sup>nd</sup> Mer  
from which we ask 12 mi in Towns N<sup>o</sup> 37 & 19  
Union dist; under Post 20. - - - S & E 16  
- - - - - Same timber & c Same

West South Boundary  
West On a Random line between Towns 4 & 5. N<sup>o</sup> 177  
2<sup>nd</sup> Mer Ind. South side of sec 36  
1000 To a Brook 12 miles in; course of  
40.00 Set a temporary post for the cor to 14 sec  
80.00 Set a - - - - - Sec. 35 & 36 T<sup>o</sup> 5. 14  
N<sup>o</sup> 177. 2<sup>nd</sup> Mer. Lands rolling; Union & Sec  
Oak, Sugar & c

West On a Random line between Towns 4 & 5 N<sup>o</sup> 177  
2<sup>nd</sup> Mer. on the S. side of sec 35  
40.00 Set the temporary post for the cor to 14 sec  
55.50 To a Spring South  
80.00 Set a temporary post for the cor to Sec. 34 & 35 T<sup>o</sup> 5  
5 N<sup>o</sup> 177. 2<sup>nd</sup> Mer. Same timber soil & c  
Same as the last mile

West On a Random line between Towns 4 & 5 N<sup>o</sup> 177  
2<sup>nd</sup> Mer South side of sec 34  
40.00 Set the temporary post for the cor to 14 sec  
44.00 To the Bank of W. River  
80.00 Set the temporary post for the cor to Sec. 33 & 34 T<sup>o</sup> 5  
5 N<sup>o</sup> 177. 2<sup>nd</sup> Mer. Lands rolling Union  
Oak Hickory under new Poplar.

West On a Random line between Towns 4 & 5 N<sup>o</sup> 177  
2<sup>nd</sup> Mer South side of sec 33  
40.00 Set the temporary post for the cor to 14 sec  
80.00 - - - - - Sec 32 & 33 T<sup>o</sup> 5



T. No 5 LRP No 177 2nd Mer Inda.

- 55.00 a Poplar 8 in dia stands N15 E. 5 miles dist;  
Set a post on the left Bank of White River for the  
cor to Sec. 5132 T. No 5 N. R. No 177 from which a  
Mulberry 10 in dia bears N10 E. 19 miles dist; & a  
Oak 18 " " " N19 E 12 " "
- 80.00 Set the temporary post on the true line for the cor to  
Sec. 32133 T. No 5 LRP No 177 from which a  
Yew 12 in dia stands East 45 miles dist & a  
Oak 18 " " " N57 W 22 " "

- East On a true line between Towns 405 N. R. No 177  
2nd Mer on the South side of Sec. 33.
- 40.00 Set the temporary post on the true line for the cor to the  
Sec from which a Hickory 8 in dia bears N40 E  
28 miles dist; & a Elm 18 " " " N37 W  
12 " "
- 80.00 Set the temporary post on the true line for the cor to Sec  
33.134 T. No 5 LRP No 177 from which a Log  
cotton 7 in dia bears N85 E. 25 miles dist & a Oak  
Oak 7 " " " N55 W 13 " "

- East On a true line between Towns 405 N. R. No 177  
2nd Mer on the South. side of Sec. 34.
- 27.00 Set a post on the left Bank of White River cor  
to Sec. 3413 from which an Elm 10 in dia bears  
N21 W 10 miles dist; & an Elm 6 " " " N60 E 10 " "
- 36.00 Set a post on the left Bank of White River  
cor to Sec. 3413 T. No 5 LRP No 177 from which a  
Poplar 6 in dia bears N80 W 15 miles dist; & a  
Yew 11 " " " N10 E. 16 " "
- 40.00 Set the temporary post on the true line for the cor to Sec  
from which a Yew 12 in dia bears N65 E 10 miles  
dist; and a Oak 6 " " " N65 W 12 " "
- 80.00 Set the temporary post on the true line for the cor to Sec.  
34.135 T. No 5 LRP No 177 from which a



T<sup>o</sup> N<sup>o</sup> 5 MR N<sup>o</sup> 177 2<sup>nd</sup> Mer. End<sup>e</sup>

Hogwood 5 mi in line N 88 E 17 miles dist; & a  
Beckiller - - - N 48 77 12 u -

East On true line between T<sup>o</sup> 2135 T<sup>o</sup> 445 N<sup>o</sup>  
R. N<sup>o</sup> 177. South side of Sec 35

40.00 Set the temporary post on the true line for the cor  
to 14 sec from which a Poplar 10 mi in line  
N 52 E 19 miles dist; & a Buck 12 u - -  
N 10 E. 16 u -

80.00 Set the temporary post on the true line for the cor to  
to sec<sup>s</sup> 35 & 36 T<sup>o</sup> N<sup>o</sup> 5 MR N<sup>o</sup> 177 from which  
a Gum 10 mi in line N 85 E. 21 miles dist.  
- - - - - Sec 8 u - - - - - S 76 77 16 u -

East On true line between Terms 445 MR N<sup>o</sup> 177  
2<sup>nd</sup> Mer South side of Sec 36.

40.00 Set the temporary post for the cor to 14 sec from which  
an Ironwood 9 mi in line N 71 E 19 miles  
dist & a W Oak 20 u - - - - - S 44 77. 26 u -

80.00 To the post set for the cor to Terms 445 MR  
177

### North Boundary

West On a Random line between Terms. 546 MR.  
N<sup>o</sup> 177. 2<sup>nd</sup> Mer N. Boundary of Sec. 1

40.00 Set a temporary post for the cor to 14 sec

80.00 - - - - - Sec. 1 & 2 T<sup>o</sup> N<sup>o</sup>  
5 MR N<sup>o</sup> 177 This line over rolling lands;  
Timber Sugar Ash, Poplar Oak &c

West On a Random line between T<sup>o</sup> 546 MR N<sup>o</sup> 177.  
2<sup>nd</sup> Mer. N. Boundary of Sec 2

40.00 Set a temporary post for the cor to 9<sup>th</sup>.

45.30 To a Beech 11 miles wide; corner S.

55.00 - - - - - 25 - - - - - MR





T<sup>N</sup> 5. N<sup>R</sup> N<sup>o</sup> 17<sup>n</sup>. 2<sup>nd</sup> Mer Ind<sup>a</sup>

East On a true line between Towns 5 & 6 N<sup>R</sup> N<sup>o</sup> 17<sup>n</sup>  
2<sup>nd</sup> Mer on the South side of Sec 31

44.46 Set the temporary post on the true line for the cor to 1/4  
Sec from which a W Oak 12 in dia bears N 83<sup>o</sup> W  
7 1/2 miles dist; made a B Walnut 10 n n n N 7<sup>o</sup> W  
30 n n

84.46 Set the temporary post on the true line for the cor to 1/4  
31 & 32 T<sup>N</sup> 5 N<sup>R</sup> N<sup>o</sup> 12<sup>n</sup> 2<sup>nd</sup> Mer from  
which a W Oak 12 in dia stands N 70<sup>o</sup> E 16 miles  
dist; to Sec 12 n n n S 87<sup>o</sup> E. 28 n  
This mile over thin Oak, made thick & improved  
lands;

East On a true line between Towns N<sup>o</sup> 5 & 6. N<sup>R</sup> N<sup>o</sup> 1  
2<sup>nd</sup> Mer on the South side of Sec 32

40.00 Set the temporary post on the true line for the cor to 1/4  
Sec from which a Buck 12 in dia bears N 80<sup>o</sup> E 15  
miles dist; made a Logwood 5 n n n S 45<sup>o</sup> E 6  
n n

80.00 Set the temporary post on the true line for the cor to  
Sec 32 & 33 T<sup>N</sup> 5 N<sup>R</sup> N<sup>o</sup> 17<sup>n</sup> from which a  
Poplar 10 in dia bears S 7<sup>o</sup> E. 25 miles dist; made a  
Walnut 10 n n n N 15<sup>o</sup> W 12 n n

East On a true line between Towns 5 & 6 N<sup>R</sup> N<sup>o</sup> 17<sup>n</sup>  
2<sup>nd</sup> Mer. Indiana South side of Sec 33

40.00 Set the temporary post on the true line for the cor to 1/4 Sec  
from which a Sugar 10 in dia bears N 49<sup>o</sup> E. 13 miles  
dist; to Buck 10 n n n S 43<sup>o</sup> E 10 n  
n

80.00 Set the temporary post on the true line for the cor to Sec  
33 & 34 N<sup>R</sup> N<sup>o</sup> 17<sup>n</sup> 2<sup>nd</sup> Mer. from which a Buck  
6 in dia bears N 78<sup>o</sup> E. 27 miles dist; to Sugar  
10 n n n S 12<sup>o</sup> E. 7 n n

East On a true line between Towns 5 & 6 N<sup>R</sup> N<sup>o</sup> 17<sup>n</sup>. 2<sup>nd</sup>

T. N. 5 N.R. 17 2<sup>nd</sup> Mer. Ind.

- 40.00 Set the temporary post at the corner dist. on true line for the cor to  $\frac{1}{4}$  sec from which an ash 20 in diam bears N45 E 32 linked dist; & a Do 20 n n  
" N9 W 20 n n
- 80.00 Set the temporary wire post on the true line for the cor of sec 34 & 35 T. N. 5 N.R. 17. from which a Buck 20 in diam bears N30 W 13 linked dist; & a Do 16 n n N35 E 16 n n

East On true line between Towns 5 & 6. N.R. 17 on the South side of sec 35.

- 40.00 Set the temporary post on the true line for cor to  $\frac{1}{4}$  sec from which a White 6 in diam bears N81 E 10 linked dist; and a Sumner 6 n n S71 W 12 n n
- 80.00 Set the temporary wire post on the true line for the cor to sec 35 & 36 T. N. 5 N.R. 17. from a Black Ash 12 in diam bears N1 E 9 linked dist; & a Do 12 n n N53 E 15 n n

East On true line between Towns 5 & 6. N.R. 17 2<sup>nd</sup> Mer. on the South side of sec 36

- 40.00 Set the temporary post on the true line for the cor to  $\frac{1}{4}$  sec from which a Buck 8 in diam bears N35 E 14 linked dist; and a Do 12 n n S78 W 21 n n
- 80.00 To the corner of Towns N. 5 & 6. N.R. 1 E & 17 2<sup>nd</sup> Mer. Ind.

## West Boundary

- North Between Towns 5 & 6. Range 1 & 2 West on the West boundary of sec 31
- 10.50 To a Poplar 30 in diam stands in the line
- 40.00 Set a post for the cor to  $\frac{1}{4}$  sec from which a Buck 12 in diam bears S39 W 24 linked dist; & a Dogwood 6 n n N41 W 12 n n
- 80.00 Set a post for the cor to sec 25 & 36 T. N. 5 & 17

T<sup>N</sup> 5 N.R. N<sup>o</sup> 177 2<sup>nd</sup> Mer (End.)

277 2<sup>nd</sup> Mer from which a Buck 12 mi dia  
 bears S 2 E. 24 miles dist; make Sugar 18 n a  
 n N 7 27 N. 21 n a Sande ticks & toll  
 ing; Timber Buck, Sugar & Ash Paper &c  
 undergrowth &c

North Return Towns 5 & 5 N<sup>o</sup> 51 & 27 N. on the N  
 side of Sec 30.

40.00 Get the post for the cor to 1/4 Sec from which a  
 Buck 20 mi dia bears S 34 E. 29 miles dist; & a

do 7 n a N 34 77 29 n a

14.50 To a Spring run 4 miles wide; Course East

56.75 To a Brook 12 miles wide; Course East

80.00 Get a post for the cor to Sec. 24 & 25. T<sup>N</sup> 5  
 N.R. N<sup>o</sup> 277 from which a Buck 12 mi dia  
 bears S 14 E. 26 miles dist; & a do 10 n a  
 n S 47 N. 17 n a Sande timber but  
 &c same as the last mile.

North Return Towns 5 & 5 N.R. N<sup>o</sup> 182 N. 2<sup>nd</sup> Mer  
 Then End. on the N. Boundary of Sec 19.

22.75 To a Brook 30 miles wide; Course

40.00 Get the post for the cor to 1/4 Sec from which a  
 Hickory 10 mi dia bears N 6 E 37 miles dist &  
 a Buck 12 n a N 56 77 14 n a

46.75 To a Hickory 15 mi dia stands in the line

80.00 Get a post for the cor to Sec. 13 & 24 T<sup>N</sup> 5  
 N.R. N<sup>o</sup> 277 2<sup>nd</sup> Mer. from which a  
 Oak 10 mi dia bears S 6 E. 33 miles dist;  
 & a Oak 12 n a S 54 E. 15 n a  
 Sande timber but &c same as the last mile.

North Return Towns 5 & 5 N.R. N<sup>o</sup> 182 N. 2<sup>nd</sup> Mer  
 on the N. Boundary of Sec 18

40.00 Get the post for the cor to 1/4 Sec from which a  
 Logans 6 mi dia bears S 17 N 23 miles dist; &



T. N<sup>o</sup> 5 N.R. N<sup>o</sup> 172<sup>nd</sup> Mer. End<sup>o</sup>

80.00 4 Buck 8 mi dia bears N16E 8 linked dist;  
Set a post for the cor to Sec. 12 & 13 T. N<sup>o</sup> 5 N.  
R. N<sup>o</sup> 172<sup>nd</sup> Mer. from which a Hickory 8 mi dia bears  
S16W 22 linked dist; & a Dogwood 7 n n  
East 4 n n Lands timber & soil same as  
the last mile

North Between Towns 5 & 6 N.R. N<sup>o</sup> 172<sup>nd</sup> Mer.  
on the West Boundary of Sec 7

40.00 Set the post for the cor to the 1/4 Sec from which a  
4 Buck 12 mi dia bears S16W 14 linked dist; & a  
Dogwood 6 n n N85W 11 n n

61.60 To a B Oak 20 mi dia stands in the line

80.00 Set a post for the cor to Sec. 1 & 2 T. N<sup>o</sup> 5 N.  
R. N<sup>o</sup> 172<sup>nd</sup> Mer. from which a  
W. Oak 8 mi dia bears S27W 29 linked dist; & a  
Dogwood 6 n n N39W 20 n n

North Between Towns 5 & 6 N.R. N<sup>o</sup> 172<sup>nd</sup> Mer.  
on the N. Boundary of Sec. 6

40.00 Set the post for the cor to 1/4 Sec from which a  
Oak 6 mi dia bears S71W 10 linked dist; & a  
W. Oak 15 n n N40W 18 n n

68.95 To a Poplar 20 mi dia stands in the line

80.00 Set a post for the cor to Towns 5 & 6  
Range 20 162<sup>nd</sup> Mer. from which a  
Hickory 10 mi dia bears S74E 11 linked dist; & a  
W. Oak 8 n n S86W 15 n n

This mile over rolling lands; Timber Oak, Hickory  
and Poplar.

### Subdivisions

North Between Sec. 35 & 36 T. N<sup>o</sup> 5 N.R. N<sup>o</sup> 172<sup>nd</sup> Mer.

40.00 Set the post for the cor to 1/4 Sec from which a  
4 Buck 10 mi dia bears N38E 17 linked dist; & a  
do 6 n n S14E 22 n n



T<sup>N</sup> 5 N<sup>R</sup> N<sup>o</sup> 1<sup>W</sup> 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

80.00 Set a post for the cor to Sec. 25, 26, 35 & 36  
 T<sup>N</sup> 5 N<sup>R</sup> N<sup>o</sup> 1<sup>W</sup> from which a  
 Ironwood 6 in dia beam S47<sup>W</sup>. 28 miles dist;  
 to do 6 " " " N66<sup>E</sup>. 15 " "  
 Lands rolling; Timber Poplar, ash, & Buck

East Chatter line between Sec. 25 & 36. T<sup>N</sup> 5  
 N<sup>R</sup> N<sup>o</sup> 1<sup>W</sup>

40.00 Set a temporary post for the cor to 1/4 Sec  
 79.50 Intersect the Range line 25 miles North  
 of the first set for the cor to Sec. 25 & 36 T<sup>N</sup> 5  
 N<sup>R</sup> N<sup>o</sup> 1<sup>W</sup>. Lands timbered out as same as  
 the last mile;

West Chatter line between Sec. 25 & 36 T<sup>S</sup> 5 N<sup>R</sup> 1<sup>W</sup>

39.75 Set the temporary post at the aver. dist on a true line  
 for the cor to 1/4 Sec from which a  
 Sugar 12 in dia stands S43<sup>E</sup>. 17 miles dist; to  
 do 10 " " " N86<sup>W</sup>. 18 " "

77.50 To the post set for the cor to Sec. 25, 26, 35, & 36

North Between Sec. 25 & 36 T<sup>N</sup> 5 N<sup>R</sup> N<sup>o</sup> 1<sup>W</sup>

34.00 To a Brook 50 miles wide; across S. 7<sup>W</sup>.

40.00 Set the post for the cor to the 1/4 Sec from which a  
 Buck 10 in dia beam S85<sup>E</sup> 11 miles dist; to  
 Sugar 10 " " " S64<sup>W</sup> 27 " "

80.00 Set a post for the cor to Sec. 23, 24, 25 & 26.  
 T<sup>N</sup> 5 N<sup>R</sup> N<sup>o</sup> 1<sup>W</sup>. from which a

W. Oak 18 in dia stands N11<sup>W</sup>. 7 miles dist; to  
 do do 20 " " " S67<sup>W</sup>. 25 " "  
 Lands timbered out as same as the last mile;

East Between Sec. 24 & 25 T<sup>N</sup> 5 N<sup>R</sup> N<sup>o</sup> 1<sup>W</sup>.

That Random

36.00 To a Brook 75 miles wide; across

40.00 Set the temporary post for the cor to 1/4 Sec.

T. No. 5 N.R. No. 171 2<sup>nd</sup> Mer Ind.

79.92 Intersected the North & South line 12 links North of the post set for the cor to sec. 24 & 25 T. No. 5 N. R. No. 171 2<sup>nd</sup> Mer. Same as the last mile.

West Between Sec. 24 & 25 T. No. 5 N.R. No. 171. On a true line

3996 Set the temporary post at the aver. dish, on true line for the cor to  $\frac{1}{4}$  sec from which a Sugar 10 in dia bears South 11 links dish; & a Ho 10 n n n N 55 E. 12 n n

7992 To the post set for the to sec. 23, 24, 25, & 26

North Between Sec. 23 & 24 T. No. 5 N.R. No. 171.

34.50 To a Spring S.E.

4000 Set the post for the cor to  $\frac{1}{4}$  sec. from which a Hickory 10 in dia bears S 12 N. 7 links dish; & a Sugar 10 n n n S 44 E 10 n n

8000 Set a post for the cor to sec. 13, 14, 23 & 24

T. No. 5 N.R. No. 171. from which a Sugar 12 in dia bears S 57 N 18 links dish; & a Ho 10 n n n S 29 E. 20 n n  
Same timber as to same as the last mile;

East On a Random line between Sec. 13 & 24 T. No. 5 N. R. No. 171.

14000 Set a temporary post for the cor to  $\frac{1}{4}$  sec

6450 To a Grove

8000 Intersected the N & S line 12 links S. of the post set for the cor to sec. 13 & 24. T. No. 5 N.R. No. 171  
Same timber as to same as the last mile.

West Between Sec. 13 & 24 On a true line T. No. 5 N.R. No. 171

4000 Set the temporary post at the aver. dish on the true line for the cor to  $\frac{1}{4}$  sec from which a Spruce 10 in dia bears West 10 links dish;

## T. N. 5 N. R. No 1 4th 2nd Mer.

80.00 To the first set for the cor to Sec. 13, 14, 23, & 24

North Between Sec. 13 & 14. T. N. 5 N. R. No 1 4th

16.50 To a Brook 10 links mid; course E.

40.00 Set a post for the cor to  $\frac{1}{4}$  sec from which a  
 Buck 10 in dia bears N 10 E. 5 links dist; to

80.00 Set a post for the cor to Sec. 11, 12, 13 & 14 from  
 which a Buck 6 in dia bears N 7 W. 6 links  
 dist; to Do 6 u u u N 55 W 7 u  
 u same thin: Timber Buck Gum Oak, &  
 Hickory

East Between Sec. 12 & 13 T. N. 5 N. R. No 1 4th

40.00 To a temporary post for the cor to  $\frac{1}{4}$  sec

54.00 To a Brook 8 links mid, course East.

80.00 Intersected the N 5 line 10 links E. of the post  
 same timber said to same

West Between Sec. 12 & 13 On a true line

40.00 Set the temporary post at the corner on the true  
 line for cor to  $\frac{1}{4}$  sec from which a Buck 10 in dia  
 bears N 87 E. 24 links dist; and a Do 10 u u  
 u N 19 E. 16 u u

80.00 To a post set for the cor to Sec. 11, 12, 13, & 14

North Between Sec. 11 & 12 T. N. 5 N. R. No 1 4th

40.00 Set a post for the cor to  $\frac{1}{4}$  sec from which a  
 Buck 20 in dia bears S 65 E. 20 links dist; to  
 Do 10 u u u N 65 W 8 u u

80.00 Set a post for the cor to Sec. 1, 2, 11, & 12 T. N. 5  
 N. R. No 1 4th on the line of a Brook 20 links mid  
 course N. W. from which an Oak 20 in dia bears  
 S 62 W 24 links dist; and an Amurwood 6 u u  
 N 66 W 18 u u same very heavy: Timber  
 Oak, Hickory & Buck etc

157  
143

T. No. 5 N. R. No. 1 W. 2<sup>nd</sup> Mer. Ind. a

East On a Random line between Sec. 1 & 12 T. No. 5 N. R. No. 1 W.  
40.00 Set a temporary post for the 1/4 sec  
80.12 Intersection the N & S line 18 miles E of the post set  
for the cor to Sec. 1 & 12 T. No. 5 N. R. No. 1 W.  
Sunde timber as is same as the last mile

---

West On a true line between Sec. 1 & 12 T. No. 5 N. R. No. 1 W.  
40.06 Set the temporary post at the aver. dist on true line for  
the cor to 1/4 sec from which a  
Sugar 10 in dia bears S 88 W 9 links dist; & a  
Buck 18 " " " S 86 E 33 " " "  
80.12 To the post set for the cor to Sec. 1, 2, 11, & 12

---

North between Sec. 1 & 2 T. No. 5 N. R. No. 2 W.  
23.50 To an Oak 10 in dia stands on the line  
40.00 Set a post for the cor to 1/4 sec from which a  
Buck 6 in dia bears S 31 W 12 links dist; & a  
Do 12 " " " N 58 W 12 " " "  
47.00 To a Brook 25 links wide; came West  
80.95 Set a post on the North Boundary of T. No. 5 N.  
R. No. 1 W. 22 links West of the post set for the  
cor to Sec. 35 & 36 T. No. 6 N. R. No. 1 W. from which  
a Buck 10 in dia bears S 49 W 13 links dist; & a  
Do 20 " " " S 73 W 26 " " "  
Sunde as is timber to same as the last mile

---

North between Sec. 34 & 35 T. No. 5 N. R. No. 12 W.  
40.00 Set a post for the cor to 1/4 sec from which a  
Sugar 18 in dia bears South 18 links dist; & a  
78.00 To a Brook 100 links wide; came E. W.  
80.00 Set a post for the cor to Sec. 26, 27, 34 & 35  
T. No. 5 N. R. No. 1 W. from which on  
Elm 10 in dia bears S 70 W 37 links dist; & a  
Mulberry 6 " " " N 62 E 12 " " " Sandpich  
and Rolling Timber Buck, Sugar, & U. S. Spruce



## T. No. 5 N.R. No. 17. Grade Mer. (Ind.?)

East On a Random line between Sec. 26 & 35 T. 5 N. R. 17 W.  
 30.50 To a Birch 50 linked wire; course E.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 80.06 Intersect the N & S line 8 linked South of the  
 post set for the cor. to Sec. 25, 26, 35 & 36.  
 Same timber soil & same as the last mile

West On a true line between Sec. 26 & 35 T. 5 N. R. 17 W.  
 40.06 Set the temporary post at the aver. dist. on a true line for  
 the cor. to the 1/4 sec. from which a Buck 10 in dia  
 bears S 56° W 8 linked dist; & a 208 " "  
 " N 82° W 26 " "  
 80.16 To the post set for the cor. to Sec. 26, 27, 34 & 35

North Return Sec. 26 & 27 T. 5 N. R. 17 W.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Sugar 12 in diam. bears N 17° W 23 linked dist; & a  
 Buck 10 " " " S 19° E. 20 " "  
 78.60 To a Buck 20 in dia stands on the line  
 80.00 Set a post for the cor. to Sec. 22, 23, 26, & 27.  
 T. 5 N. R. 17 W. from which a  
 Buck 18 in diam. bears N 78° E. 28 linked dist; & a  
 Do 10 " " " N 23° W. 31 " "  
 Same timber soil & same as the last mile

East On a Random line between Sec. 23 & 26 T. 5 N. R. 17 W.  
 37.00 To a Falling Spring runs out of a canon  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 80.00 Intersect the N & S line 14 linked South of the  
 post set for the cor. to Sec. 23, 24, 25 & 26  
 Same soil timber & same as the last mile.

West On a true line between Sec. 23 & 26 T. 5 N. R. 17 W.  
 40.00 Set the temporary post at the aver. dist. on the true  
 line for the cor. to 1/4 sec. from which a  
 Sugar 6 in dia bears East 9 linked dist; & a



T. N. 5 N. R. N. 17. 2nd Mer (Inde)

80.00 Sugar 8 in dia bears N45 E. 20 links dist;  
To the first set for the cor to Sect 22, 23, 26. & 27

North Return Sect 22, & 23. T. N. 5 N. R. N. 17.  
40.00 Set the first for the cor to 1/4 sec from which a  
Poplar 8 in dia bears S44 N. 11 links dist; & an  
Elm 8 " " " N72 E 8 " "  
41.35 To a Buck 20 in dia stands on the line.  
80.00 Set a first for the cor to Sect. 14, 15, 22, & 23  
T. N. 5 N. R. N. 17. from which a Buck 10 in  
dia bears N73 E. 26 links dist; & a Qo 12 "  
" " S43 E. 22, " " Sand timber soil  
is same as the last mile

East On a Remains line between Sect. 14 & 23. T. N. 5 N. R. 17.  
2.10 To a Brook 10 links wide; house —  
40.00 Set a temporary first for the cor to 1/4 sec  
80.00 Intersect the N & S line 10 links E. of the first  
set for the first set for the cor to Sect 13, 14, 23  
& 24. Sand soil is same as the last mile.

West Return Sect. 14 & 23 On true line T. N. 5 N. R. N. 17.  
40.00 Set the temporary first at the above dist on the true line  
for the cor to the 1/4 sec from which a Buck 12 in  
dia bears S51 N. 8 links dist; & a Qo 20 "  
" " N45 N. 20 " "  
80.00 To the first set for the cor to Sect. 14, 15, 22, 23 & 24  
Sand soil timber is same as the last mile.

North Return Sect. 14 & 15 T. N. 5 N. R. N. 17.  
2.00 To a Brook 8 links wide; house N.  
37.50 " " " 10 " " " "  
40.00 Set a post for the cor to 1/4 sec from which a  
W. Walnut 6 in dia bears N60 N. 12 links dist; & a  
Sugar 10 " " " N15 E 14 " "  
80.00 Set a post for the cor to Sect. 10, 11, 14, & 15 T. N. 5

# T<sup>No</sup> 5 MR N<sup>o</sup> 17<sup>th</sup> 2<sup>nd</sup> Mer. Ind<sup>a</sup>

MR N<sup>o</sup> 17<sup>th</sup> from which a Truck 8 mi dia  
beams N49<sup>th</sup> 23 miles dist; to Sugar 10 n  
N87<sup>th</sup> 31 n  
Lands timber Soil &c same as the last mile

East On a Random line between Sec<sup>s</sup> 11 & 14 T<sup>5</sup> MR N<sup>o</sup> 17<sup>th</sup>  
40.00 Set temporary post for the cor to 1/4 sec  
80.00 Intersected the N45 line 12 miles South of the first  
set for the cor to Sec<sup>s</sup> 11, 12, 13, & 14 T<sup>5</sup> MR N<sup>o</sup> 17<sup>th</sup>. Lands timber Soil &c same as the last mile

West Between Sec<sup>s</sup> 11 & 14 On a true line T<sup>5</sup> MR N<sup>o</sup> 17<sup>th</sup>  
40.00 Set the temporary post at the cor dist; on the true line  
for the cor to 1/4 sec from which a Truck 10 mi dia  
beams S3E 6 miles dist; to do 10 n  
N82<sup>th</sup> 16 n  
80.00 To the first set for the cor to Sec<sup>s</sup> 10, 11, 14, & 15

North Between Sec<sup>s</sup> 10 & 11. T<sup>5</sup> MR N<sup>o</sup> 17<sup>th</sup>.  
40.00 Set the first for the cor to 1/4 sec from which a  
Truck 20 mi dia beams N. 15<sup>th</sup> 39 miles dist; to  
Sugar 10 n N87<sup>th</sup> 15 n  
66.10 To a Truck 18 mi dia stands in the line.  
80.00 Set a post for the cor to Sec<sup>s</sup> 2, 3, 10, & 11 T<sup>5</sup> MR  
5 MR N<sup>o</sup> 17<sup>th</sup> 2<sup>nd</sup> Mer. from which a W. Wal  
nut 10 mi dia beams N49<sup>th</sup> 10 miles dist; to  
R. Bush 6 n N85E. 10 n  
Lands hilly Timber Truck, Poplar, &c

East On a Random line between Sec<sup>s</sup> 2 & 11 T<sup>5</sup> MR  
12<sup>th</sup>.  
40.00 Set a temporary post for the cor to 1/4 sec  
71.00 To a Brook 8 miles wide; comes N.  
80.00 Intersected the N45 line 15 miles S. of the first  
set for the cor to Sec<sup>s</sup> 1, 2, 11, & 12. Lands timber  
Soil &c same as the last mile

161  
147

T. N<sup>o</sup> 5 N.R. N<sup>o</sup> 1 W. 2<sup>nd</sup> Mer Ind<sup>o</sup>

West One true line between Sec. 2 & 11 T5 N.R. 1 W  
40.00 Set the temporary post at the aver. dist on the true line for the cor to  $\frac{1}{4}$  sec from which a  
W Oak 12 in dia bears S82 W 50 links dist; & a  
Buck 15 " " " S22 E 26 " "  
80.00 To the post set for the cor to sec. 2, 3, 10, & 11  
For the line between Sec. 2 & 3; & 27 & 34. See end of Township—

North Between Sec. 27 & 28 T N<sup>o</sup> 5 N.R. N<sup>o</sup> 1 W  
40.00 Set a post for the cor to  $\frac{1}{4}$  sec from which a  
Buck 12 in dia bears N22 W 36 links dist; & a  
Do 10 " " " N63 E 19 " "  
64.50 To a W Oak 20 in dia bears in the line.  
80.00 Set a post for the cor to sec. 21, 22, 27, & 28. T  
N<sup>o</sup> 5 N.R. N<sup>o</sup> 1 W. from which a Buck 8 in  
dia bears. N37 E 21 links dist; and a Do 12 " "  
" " N76 W 23 " " Sand timber  
said to be same as the last mile.

East On a Random line between Sec. 22, & 27 T5 N.R.  
1 W.  
40.00 Set a temporary post for the cor to  $\frac{1}{4}$  sec  
80.00 Intersected the N.T.S. line at the post set for the  
cor to Sec. 22, 23, 26, & 27  
Sand timber said to be same as the last mile.

West One true line between Sec. 22, & 27 T5 N.R. N<sup>o</sup> 1 W  
40.00 Set the temporary post for the cor to  $\frac{1}{4}$  sec at aver.  
dist on the true line from which a  
Sugar 12 in dia bears East 2 links  
80.00 To the post set for the cor to sec. 21, 22, 27, & 28.

North Between Sec. 21 & 22 T N<sup>o</sup> 5 N.R. N<sup>o</sup> 1 W  
19.50 To a Buck 20 links dist; Course S.W.  
36.25 " " W. Oak 20 in dia stands on the line  
40.00 Set a post for the cor to  $\frac{1}{4}$  sec from which a  
Buck 10 in dia bears S64 W 11 links dist; & a

T<sup>N</sup> 5 N<sup>R</sup> N<sup>o</sup> 17<sup>th</sup> 2<sup>nd</sup> Mer. Ind<sup>o</sup>

Log woods 6. in dia bears S 79 E. 17 links dist;  
 80.00 Set a post for the cor to Sec. 15, 16, 21. & 22 at  
 N<sup>o</sup> 5 N<sup>R</sup> N<sup>o</sup> 17<sup>th</sup> from which a Buck 12 in  
 dia bears N 80 W 34 links dist; to Do 10 "  
 " " S 87 W. 41 " "  
 Sande soil timber &c same as the last mile;

East Between Sec. 15 & 22 On a Random line T<sup>N</sup> 5 N<sup>R</sup> N<sup>o</sup> 17<sup>th</sup>  
 40.00 Set a temp<sup>y</sup> post for the cor to 1/4 sec  
 64.50 To a brook 10 links wide, Course S. W.  
 79.94 Intersected the N. & S. line 7 links S. of the post  
 set for the cor to Sec. 14, 15, 22, 23.  
 Sande timber soil &c same as the last mile;

West On the true line between Sec. 15 & 22, T<sup>N</sup> 5 N<sup>R</sup> N<sup>o</sup> 17<sup>th</sup>  
 39.97 Set the temp<sup>y</sup> post at the arr. dist; in the true line  
 for the cor to 1/4 sec from which a  
 Buck 18 in dia bears S 34 W. 10 links dist; to  
 Do 10 " " " N 44 E. 20 " "  
 79.94 To the post set for the cor to Sec. 15, 16, 21, & 22,

North Between Sec. 15 & 16 T<sup>N</sup> 5 N<sup>R</sup> N<sup>o</sup> 17<sup>th</sup>  
 40.00 Set a post for the cor to 1/4 sec from which a  
 W. Walnut 18 in dia bears S 32 E. 18 links dist; to  
 Buck 8 " " " S 72 W 15 " "  
 80.00 Set a post for the cor to Sec. 9, 10, 15, & 16.  
 T<sup>N</sup> 5 N<sup>R</sup> N<sup>o</sup> 17<sup>th</sup> from which a  
 Buck 20 in dia. bears N 3 E. 19 links dist; to  
 Do 20 " " " S 26 E. 20 " "  
 Sande timber soil &c same as the last mile

East On a Random line between Sec. 10 & 15 T<sup>N</sup> 5 N<sup>R</sup> N<sup>o</sup> 17<sup>th</sup>  
 40.00 Set a temp<sup>y</sup> post for the cor. to 1/4 sec  
 80.00 Intersected the N & S line at the post set for the  
 cor to Sec. 10, 11, 14, 15.  
 Sande timber soil &c same as the last mile



## T. No 5 M.R. No 174. 2nd Mer (Ind. Co)

- West On a true line between Sec. 10 & 15 T. No 5 M.R. No 174  
 40.00 Set the temporary post for the cor to  $\frac{1}{4}$  sec at the cor.  
 dist on true line from which a Poplar 10 in dia bears  
 N 36 W 15 linked dist; & a Dogwood 8 in " "  
 S 73 W 33 " "  
 80.00 To the post set for the cor to Sec. 9, 10, 15 & 16.

- North Between Sec. 9 & 10 T. No 5 M.R. No 174  
 33.00 To a Brook 10 linked miles; Course W.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Y Buck 20 in dia bears S 28 W. 30 linked dist; & a  
 L. 20 " " " N 66 E. 16 " "  
 42.50 To a Brook 200 linked miles; Course S. W.  
 80.00 Set a post for the cor to Sec. 3, 4, 9, & 10. from  
 which a Y Buck 20 in dia bears S 20 E. 23 linked dist  
 under L. 10 " " " N 61 E 11 " "  
 Land timber soil &c same as the last mile;

- East Between Sec. 3 & 10 On a true line T. No 5 M.R. No 174  
 22.50 To a Brook 200 linked miles; Course S. E.  
 38.00 To a " 10 " " " S.  
 40.00 Set a temporary post for the cor to  $\frac{1}{4}$  sec  
 56.50 To a Brook 10 linked miles; Course N. W.  
 80.10 Intersect the N & S line 10 linked S. of sec cor. for  
 2, 3, 10, & 11. Land timber soil &c same as the  
 last mile;

- West Between Sec. 3 & 10. On true line T. No 5 M.R. No 174  
 40.00 Set the temporary post at the cor. dist on the true line  
 for the cor to  $\frac{1}{4}$  sec from which an  
 Elm 12 in dia bears S 62 W. 48 linked dist to  
 B. Elder 10 " " " S 24 E 36 " "  
 80.10 To the post set for cor to Sec. 3, 4, 9, & 10.

- North Between Sec. 3 & 11 T. No 5 M.R. No 174  
 16.50 To a Brook 200 linked miles; Course S. E.



T. No 5 N.R. No 17. 2<sup>nd</sup> Mer. (Ind.)

- 40.00 Set a post for the cor to 1/4 sec from which a  
Puck 20 in dia bears S 39 E 11 links dist; to  
Lo 10 n a n N 57 W 46 n a n
- 75.00 To a Brook 200 links mid; course W.  
Relief of Rocks leading up & down the crake  
40 feet high
- 81.25 Intersection the N Boundary at the cor for sec.  
33.134 T. No 6 N.R. No 17. + 314 S 5 N.  
R. No 17. Land is timber and some same  
as the last mile

- West On a true line between Sec. 21 & 28. T. No 5 N.R. No 17.
- 22.50 To a Brook 12 links mid; course E.
- 40.00 Set a post for the cor to 1/4 sec on the true line  
from which a Puck 8 in dia. bears N 85 W 9 links  
dist; to an Iron wire 8 n a n S 79 E 20 n
- 80.00 Set a post at the cor of sec. 20, 21, 28, & 29.  
T. No 5 N.R. No 17. from which a Puck 12  
in dia bears N 54 E 17 links dist; to Lo 8  
n a n S 70 E 30 n a n  
Land rolling; timber Buck, Sugar, &c

- South Between Sec. 28, & 29 T. No 5 N.R. No 17.
- 9.60 To a sugar 12 in dia stands on the line.
- 33.77 Set a post for the cor to sec. 28, & 29 T. No 5 N.  
R. No 17 on the Right Bank of White River  
from which a Puck 16 in dia bears N 47 E 11 links  
dist; to Lo 12 n a n N 57 W 16 n  
Land timber soil &c same as the last mile.

- North Between Sec. 20 & 21 T. No 5 N.R. No 17.
- 23.00 To a Brook 200 links mid; course W.
- 40.00 Set a post for the cor. of sec from which a  
Puck 10 in dia bears N 54 E 15 links dist; to  
Lo 20 n a n S 30 W 11 n a n

T. No 5 N.R. No 1 W. 2<sup>nd</sup> Mer. Ind.

- 53.00 Crossed the W. line in the creek about 150 yards  
80.00 Set a post for the cor to Sec. 20. & 21 16 & 17 T. No  
5 N.R. No 1 W. from which a Buck 20 in dia  
bears S 81 W 36 linked dist; & a Do 6 n  
~ S 51 W 9 ~ ~ This post stands on the  
E. side of a break 200 linked dist; Course E. & W.  
Land rolling timber Buck;

East On a Random line between Sec. 16. & 21. T. No 5 N.R. No 1 W.

- 40.00 Set a temp. post for the cor to 1/4 sec  
80.11 Intersected the N.S. line 8 linked E. of the cor  
to Sec. 15, 16, 21. & 22, Land timber soil to  
same as the last mile;

West On a true line between Sec. 16 & 21. T. No 5 N.R. No 1 W.

- 40.05 Set the temp. post at the aver dist; on true line  
for the cor to 1/4 sec from which a Buck 12 in dia  
bears S 87 W 46 linked dist; & a Sugar 12 n  
~ N 84 E. 20 ~ ~  
80.11 To the post set for the cor to Sec. 16. 17. 20. & 21

North Between Sec. 16. & 17 T. No 5 N.R. No 1 W.

- 40.00 Set a post for the cor to 1/4 sec. from which a  
W. Oak 20 in. dia. bears N 12 E. 22 linked dist;  
49.00 To a W. Oak 20 in. dia. stands on the line.  
80.00 Set a post for the cor to Sec. 8. 9. 16. & 17. T. No  
5 N. R. No 1 W. from which a Buck 20 in.  
dia. bears S 61 E. 6 linked dist; & a Do 8 n  
~ ~ N 89 E. 26 ~ ~  
Land timber soil 1/4 same as the last mile.

East On a Random line between Sec. 9. & 16. T. No 5  
N.R. No 1 W.

- 35.50 To a Buck 200 linked dist; Course S. E.  
40.00 Set a temp. post for the cor to 1/4 sec  
79.90 Intersected the N.S. line 8 linked E. of the post

T. No 5 N.R. No 177. 2<sup>nd</sup> Mer. (Indo.)

Set for the cor to Sec. 9. 10. 15. 16.

Land and timber & M.G. same as the last mile

West On a true line between Sec. 9. & 16. T. No 5 N.R. No 177.

39.95 Set the temporary post at the corner. dist. on true line for the cor to 14 Sec. from which a

Buck 12 in dia bears N 19 E. 17 links dist; to

do 12 " " " S 19 E 17 " "

79.90 To the post set for the cor to Sec. 8. 9. 16. 17

North Between Sec. 8. & 9 T. No 5 N.R. No 177

10.00 To a Brook 200 links wide; Course S. E.

40.00 On an Offset towards the N.

75.00 To where the same turns S. W.

80.00 Set a post for the cor. to Sec. 4. 5. 8. 9. T.

No 5 N.R. No 177 from which a

Sugar 10 in dia bears S 52 W. 23 links dist; to

Rock 7 " " " S 44 E. 17 " "

Land timber soil M.G. &c same as the last mile

East On a Random line between Sec. 4 & 9 T. No 5 N.R. No 177.

35.00 To a Brook 15 links wide; Course S.

40.00 Set a temporary post for the cor to 14 Sec.

79.95 Intersect the N. & S. line at the post for the cor to Sec. 3. 4. 9. 10. Land timber soil &c same as the last mile.

West On a true line between Sec. 4 & 9. T. No 5 N.R. No 177

39.97 Set the temporary post at the corner. dist. on a true line for the cor to 14 Sec. from which a

Buck 20 in dia bears S 82 W. 29 links dist; to

Amurree 8 " " " N 19 W. 17 " "

79.95 To the post set for the cor to Sec. 4. 5. 8. 9.

T. No 5 N.R. No 17. 2<sup>nd</sup> Mer (Ind. 2)

North Between Sec 4 & 5 T. No 5 N.R. No 17.  
 40.00 Set a post for the cor to 14 sec. from which a  
 Hick 10 in dia bears N 2 W. 21 miles dist;  
 71.00 To a Brook 18 miles mid; course S.E.  
 81.25 Intersect the N. Boundary of T. No 5 N.R. No  
 17. at the cor to Sec. 32, & 33 T. No 5 N.R. No 1  
 W. Same timber Buck, & Hick.  
 W. 9 degrees N. 10 S.

North Between Sec. 31. & 32 T. No 5 N.R. No 17.  
 40.00 Set a post for the cor to 14 sec from which a  
 Buck 6 in dia bears S 71 W. 10 miles dist;  
 46.00 To a Brook 250 miles mid; course S.E.  
 77.00 a same do " " " " " "  
 90.00 Sec. cor for. Sec. 29. 30, 31 & 32. in the Brook.  
 Same land Timber Buck, & Sugar.

East On true line between Sec. 29. & 32. T. No 5 N.  
 R. No 17.  
 22.50 Set a post for the cor to Sec. 29. & 32 on the Right  
 Bank of White River from which an  
 Elm 8 in dia bears South. 2 miles dist;  
 Same land; Timber Buck.

North Between Sec. 29 & 30 T. No 5 N.R. No 17.  
 4.00 To the N. side of the creek  
 6.00 To a Brook 20 miles mid; course East  
 40.00 Set a post for the cor to 14 sec from which a  
 Buck - in dia bears S 26 E. 27 miles dist; & an  
 Somers 6 " " " N 35 E 28 " "  
 65.00 To a Brook 250 miles mid; course S.E.  
 80.00 Set a post for the cor to Sec. 19, 20, 29. & 30. T.  
 No 5 N. R. No 17. from which an  
 Somers 6 in dia bears S 86 E. 17 miles dist; &  
 Buck 10 " " " N 86 W. 13 " "  
 Same timber Soil to same as the last one.



*T. No 5 N. R. No 17. 2<sup>nd</sup> Mer. (Ind.)*

*East On a Mandem line between Sec. 20. & 29 T. No 5. N. R. No 17.*

*40.00 Set a temporary post for the cor to  $\frac{1}{4}$  sec.*

*80.10 Intersection the N & S line 12 miles S. of the post  
Set for the cor to Sec. 20, 21, 28, & 29.  
Lands soil timber &c same as the last mile*

*West On a true line between Sec. 20 & 29 T. No 5 N. R. No 17*

*40.05 Set the temporary post at the aver. dish; on the true  
line for the cor to  $\frac{1}{4}$  sec. from which a  
Buck 6 mi dir bears N 88 E. 29 miles dish; &c  
Lg 10 " " " S 10 77. 17 " "*

*80.10 To the post set for the cor to Sec. 19, 20, 29, & 30*

*North Between Sec. 19 & 20 T. No 5 N. R. No 17.*

*40.00 Set the post for the cor to  $\frac{1}{4}$  sec from which a  
Buck 12 mi dir bears S 84 E. 20 miles dish; &c  
Lg 10 " " " S 70 77. 7 " "*

*80.00 Set a post for the cor to Sec. 17, 18, 19, & 20 T. No  
5 N. R. No 17. from which a  
Mulberry 5 mi dir bears S 83 77. 16. miles dish; &c  
Buck 10 " " " S 77 E. 16 " "  
Lands timber soil &c same as the last mile.*

*East On a Mandem line between Sec. 17. & 20 T. No 5. N. R. 17.*

*40.00 Set a temporary post for the cor to  $\frac{1}{4}$  sec.*

*44.65 To a Brook 200 miles wide; crosses N. R.*

*80.70 Intersection the N & S. line 11 miles South of the  
post set for the cor. to Sec. 16, 17, 20, 21.  
Lands, soil, timber, U. G. &c same as the last mile*

*West On a true line between Sec. 17. & 20. T. 5 N. R. 17.*

*40.00 Set the temporary post for the cor to  $\frac{1}{4}$  sec at the aver.  
dish on the true line from which a*

T. No 5 N.R. No 177. 2<sup>nd</sup> Mer. Sh. 4<sup>th</sup>

Sugar 10 mi dia bears S 30 W. 12 miles dist; & a  
Buck 9 " " " S 82 E. 39 " "  
80.00 To the first set for the cor to Sect 17, 18, 19 & 20

North Between Sect 17 & 18 T. No 5 N.R. No 177.

40.00 Set a post for the cor. to gr. sw from which a  
P. Oak 12 mi dia bears S 9 W. 13 miles dist; & a  
Buck 10 " " " N 10 W. 19 " "

80.00 Set a post for the cor to Sect 7, 8, 17, 18 T. No 5 N.  
R. No 177. from which a Hickory 10 mi dia  
bears N 13 W. 5 miles dist; & a Logwood 5 " "  
" S 58 E. 10 " "

Sandy, timber, soil the same as the last mile

East On a Random line between Sect 8 & 17 T. No 5 N.R. No 177.

40.00 Set a temporary post for the cor. to '4<sup>th</sup> sec.

80.00 Intersected the N. 13 line 18 miles E. of the post set  
for the cor. to Sect 8, 9, 16, & 17.

Sandy soil the same as the last mile.

West On a true line between Sect 8 & 17 T. No 5 N.R. No 177.

40.05 Set the temporary post at the nor. end on a true line  
for the cor to '4<sup>th</sup> sec from which a Buck 10 mi dia  
bears N 34 E. 20 miles dist; & a Sugar 8 " "  
" S 19 E. 17 " "

80.10 To the post set for the cor to Sect 7, 8, 17, & 18.

North Between Sect 7 & 8 T. No 5 N.R. No 177.

40.00 Set a post for the cor to gr. sw from which a  
P. Oak 10 mi dia bears S 2 E. 50 miles dist; & a  
Bum 12 " " " N 36 W. 43 " "

80.00 Set a post for the cor to Sect 5, 6, 7 & 8. T. No 5  
N. R. No 177. from which a Buck 12 mi dia  
bears S 57 E. 9 miles dist; & a Poplar 20 " "  
" S 70 W. 26 " "

Sandy, soil, timber, N. 9 to same as the last mile.

T. N<sup>o</sup> 5 N. R. N<sup>o</sup> 17. 2<sup>nd</sup> Mer. (Ind.)

North Branch Sep. 5. 16. T. N<sup>o</sup> 5 N. R. N<sup>o</sup> 17.  
 32.75 To a Barre 12 miles wide; Course S. E.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Logwood 6 in dia bears S 54 N. 17 miles dist. to  
 Elm 10 n " " S 82 E. 16 n "  
 81.80 Intersect the N. Boundary of T. N<sup>o</sup> 5 N. R. N<sup>o</sup>  
 17. 13 miles E. of the post set for the cor to  
 Sep. 31. 133 T. N<sup>o</sup> 6 N. R. N<sup>o</sup> 17.  
 Sand soil timber and 19 acres as the last mile.

East On a random line between Sep. 5 & 8 T. N<sup>o</sup> 5 N. R. N<sup>o</sup> 17.  
 40.00 Set a temporary post for the cor to 1/4 sec.  
 52.00 To a Barre 12 miles wide; Course S. E.  
 80.00 Intersect the N & S line 10 miles S of the post  
 set for the cor to Sep. 4. 5. 8. 9. T. N<sup>o</sup> 5 N. R. 17.  
 Sand soil, timber 19 to 20 acres as the last mile;

West On a true line between Sep. 5. 18. T. N<sup>o</sup> 5 N. R. 17.  
 40.00 Set the temporary post at the auct. chsk. on a true line  
 for the cor to 1/4 sec. from which a  
 Poplar 8 in dia bears N 52 W. 9 miles dist; & a  
 Sassafras - " " - S 79 E. 14 n "  
 80.00 To the post set for the cor to Sep. 5. 6. 7. & 8.

West On a true line between Sep. 6. 17. T. N<sup>o</sup> 5 N. R. N<sup>o</sup> 17.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 White Oak 10 in dia bears S 81 W. 20 miles dist. to  
 W. Oak 10 n " " N 13 E. 17 n "  
 58.50 To a W. Oak 20 in dia located in the line  
 84.50 To the post set on the West Boundary for the cor to  
 Sep. 1 & 12 T. N<sup>o</sup> 5 N. R. N<sup>o</sup> 27.  
 Sand Rolling: Timber Oak, Poplar & Hickory

West On a true line between Sep. 7 & 18. T. N<sup>o</sup> 5 N. R. N<sup>o</sup> 17.  
 40.00 Set a post for the cor to 1/4 sec from which a  
 Buck a Buck 8 in dia bears S 32 W. 23 miles dist;

T. N<sup>o</sup> 5 N. R. N<sup>o</sup> 1 W. 2<sup>nd</sup> Mer. (S. & C.)

- 84.65 To a Buck 8 in dia bears N 87 W. 29 miles dist;  
Set a post on the West Boundary 10 miles North of the  
cor to Sec. 12 & 13. T. N<sup>o</sup> 5 N. R. N<sup>o</sup> 2 W. from which a  
Dogwood 8 in dia bears S 26 E. 11 miles dist; & a  
Do 8 " " " N 12 W. 8 " " "  
Sandy rolling, timber Poplar, Oak, & Buck.
- 
- West On a true line between Sec. 18 & 19 T. N<sup>o</sup> 5 N. R. N<sup>o</sup> 1 W.  
1.50 To a Brook 210 miles miles; course South  
40.00 Set a post for the cor to the Sec from which a  
Buck 12 in dia bears S 59 W 9 miles dist; & a  
Do 5 " " " N 11 W 16 " " "  
84.40 Set a post on the W. Boundary 12 miles North of  
the cor. to Sec. 13 & 24 T. N<sup>o</sup> 5 N. R. N<sup>o</sup> 2 W. from  
which a Dogwood 8 in dia. bears S 27 E. 9 miles dist;  
and a Buck 18 " " " S 56 W 9 " " "  
Sandy soil, timber, &c same as the last mile.
- 
- West On a true line between Sec. 19 & 30. T. N<sup>o</sup> 5 N. R. N<sup>o</sup> 1 W.  
27.00 To a Brook 250 miles miles; course S. E.  
40.00 Set a post for the cor to the Sec from which an  
Elm 10 in dia bears S 9 E. 5 miles dist;  
85.00 Set a post on the W. Boundary of Township N<sup>o</sup> 5  
N. R. N<sup>o</sup> 1 W. 70 miles N. of the post set for the  
cor to Sec. 24 & 25 T. N<sup>o</sup> 5 N. R. N<sup>o</sup> 2 W. from which  
a Dogwood 6 in dia bears S 63 E. 20 miles dist; & a  
Buck 18 " " " N 59 E. 21 " " "
- 
- West On a true line between Sec. 30 & 31 T. N<sup>o</sup> 5 N. R. N<sup>o</sup> 1 W.  
40.00 Set the post for the cor to the Sec from which a  
Dogwood 6 in dia bears S 55 W 15 miles dist; & a  
Do 6 " " " S 80 E. 18 " " "  
49.00 To a Brook 10 miles miles; course N.  
85.00 Set a post on the W. Boundary 45 miles N. of the  
post set for the cor. to Sec. 25 & 36. T. N<sup>o</sup> 5 N. R. N<sup>o</sup>  
2 W. 2<sup>nd</sup> Mer. from which a Buck 10 in dia. bears





T. No 5 N. 9. P. No 17. 2nd Mer. Ind.

- 40.00 Set a post for the cor to 1/4 sec from which a  
Sugar 10 mi. dia. bears N 53 W. 7 miles dist; & a  
Buck 8 n n n S 18 W. 9 n n
- 68.00 Set a post on the 1/2 Bank (Left 1/2 Bank) of White  
River for the cor to Sec. 28. 133 T. No 5 N. R. No  
17. From which a Sugar 12 mi dia. bears 43 W  
- miles dist; & a Lo 12 n n n S 75 W  
27 n n Same same as the last mile.

- Post On a true line between Sec. 29. & 30 T. No 5 N. R. No  
25.00 To flat lands.
- 40.00 Set a post for the cor to 1/4 sec. from which a  
Sage 10 mi dia bears N 62 E. 11 miles dist; & a  
W. Oak 6 n n n S 77 W. 12 n n
- 50.70 Set a post on the Left Bank of White River from  
the cor to Sec. 29. 132 T. No 5 N. R. No 17. From which  
a W Oak 10 mi dia bears N 68 W. 17 miles dist; & a  
Ironwood 6 n n n N 73 E. 22 n n  
Same timber soil &c same as the last mile.

Meanders of White River

In Township No 5 North Range No 1 West  
Beginning on the South Boundary at the post set for the  
cor to Sec 30. on the Right Bank, thence up stream.

- N 20 W 11.50
- N 24 W 24.00
- N 29 W 29.50 To a Brook 250 miles mid:
- N 29 W 4.50
- N 10 E 11.00
- N 19 E. 6.29 To the post on line of Sec. 29. 132
- N 20 E 10.50
- N 25 E 18.50
- N 30 E 10.00
- N 38 E 7.50
- N 43 E 7.50
- N 58 E 11.00

Camp

## T. No 5 N. W. No 1 W. 2nd Mer (Ind. 2)

N 86 E	6.50	
S 73 E	13.50	
S 67 E	3.15	To the post on the line between Sec 28 & 29
S 65 E	11.00	
S 60 E	24.50	
S 66 E	19.50	at 12 ch. a Brook 25 the mile
S 60 E	13.00	
S 53 E	22.00	
S 38 E	2.30	To the cor of sec. 27, 28, 32 & 34
S 51 E	10.00	
S 34 E	15.50	
S 14 E	5.00	
S 11 E	19.50	
S 21 E	7.00	Camp?
S 24 E	10.77	To a Brook 150 miles and;
S 24 E	2.50	
S 14 E	4.50	
S 19 E	13.89	To the post on the South Boundary cor to Sec 34 T. No 5 N. W. No 1 W

Mileage of White River on the Left Bank stream  
Beginning on the cor of sec. 32 S. Boundary of T. No  
5 N. W. No 1 W. thence in Sec 32.

N 21 W	36.00	
N 29 W	33.00	
N 13 E	16.60	To the post on the line between Sec 29 & 32
N 26 E	35.00	
N 39 E	16.50	
N 68 E	6.20	
S 62 E	19.00	To the post on the line between Sec 28 & 29
S 62 E	66.00	
S 54 E	27.00	To the post on the line between Sec 33 & 34
S 34 E	20.00	
S 7 E	23.00	
S 21 E	35.50	To the post on the S. Boundary cor to Sec 34. T. No 5 N. W. No 1 W.

T. N. 5 N. R. N. 1 W. 2<sup>nd</sup> Mer. Ind.<sup>e</sup>

North Return Sec. N. 2 & 3 T. N. 5 N. R. N. 1 W.  
40.00 Set a post for the cor. to 1/4 sec. from which a  
Beck 10 in dia. bears S 88 W. 7 links dish; ends a  
Do 10 a a a S 19 W. 7 a a a  
81.10 Enter Sec. a the N. 3 bounds of T. N. 5 N. R. N.  
1 W. at the post set for the cor. to sec. 34 & 35 T. N.  
5 N. R. N. 1 W. Lands rich and rolling  
Timber Beck, Poplar, Sugar &c.

West Return Sec. 34 T. N. 5 N. R. N. 2 W.  
40.00 Set a post for the cor. to 1/4 sec. from which a  
Sugar 10 in dia. bears E 28 E 3 links dish; ends a  
Do 10 a a a N 53 E 17 a a a  
80.00 Set a post on the Bank of White River for the cor. to  
Sec. 27, 28, 33 & 34. From which a  
Cycamore 12 in. dia. bears N 43 W. 18 links dish; ends  
Oak 10 a a a N 39 E 9 a a a  
Lands hilly and rich; Timber Sugar, Poplar &  
Beck &c.

Surveyed by  
Arthur Henric. L.S.

Certify that the foregoing transcript of the field  
notes of Township N. 5 N. R. N. 1 West of the  
2<sup>nd</sup> Mer. Indiana, has been compared with the  
Original notes in this Office, and found to be cor-  
rect.

Surveyor General's Office,  
Cincinnati Nov. 20. 1839

  
Sur. Genl.